

REGISTRATION OF A PRESSURE FITTING DESIGN

27-Jun-23

TSSA
345 Carlingview Drive
Toronto, Ontario
M9W 6N9

Attention: Cecylia Garbacz

File Number: 13685 [0 F]

Re: Manufacturer: Clark-Reliance, LLC
Item: Level Switches
Catalog or Drawing: Per Scope of Registration, Drawings & Product Brochures

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

0F7953.53 Expiry Date: May 15, 2033

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,



Athan Syrgiannis, P.Eng.
Codes and Standards Compliance

Remarks:

A valid quality control program must be maintained at the production facility for the fitting registration to remain valid until the expiry date.

Conditional upon compliance with the notes on the original TSSA registration.


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Clark Reliance LLC	
Manufacturers Address: 16633 Foltz Industrial Parkway Strongsville Ohio 44039	
Plant Locations: Strongsville Ohio	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">ASME B31.1 ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div style="text-align: center;">  </div>	
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p align="center">See attachments</p>	


Declaration:

I Steve McGuigan (see note 3) employed by Clark Reliance LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by HSB (Hartford Steam Boiler) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at CLARK-RELIANCE LLC


This 15th day of December AD 2022

Commissioner of Oaths
 Or Notary Public: (sign) 
 (Affix Official seal to the right)

Use this space for the Official Seal



CHRISTINE MCCOMBS
 Notary Public
 State of Ohio
 My Comm. Expires
 July 9, 2025

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: _____ FID#: _____ Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation.	<div align="center">  <p>Technical Safety Authority of Saskatchewan</p> </div> Registration No. <u>0F7953.53</u> File No. <u>13685</u> <div align="center" style="border: 1px solid blue; border-radius: 5px; padding: 2px; display: inline-block;">Registered</div> Date: <u>June 27, 2023</u> Expiry Date: <u>May 15, 2033</u> <p align="center" style="font-size: small;">Codes & Standards Compliance Office</p>
11/2016	

Related Brochure	Product Series					
	Carbon Steel	Stainless Steel	Chrome Moly (1-1/4Cr - 1/2Mo)	Chrome Moly (9Cr - 1Mo)	Chrome Moly (2-1/4Cr - 1Mo)	Chamber Size
JS-100.03	JBC1F-	JBS1F-	JBH1F-	JB1F-	JBK1F-	3"S40 Pipe
	JBC2F-	JBS2F-	JBH2F-	JB2F-	JBK2F-	4"S40 Pipe
	JBC3F-	JBS3F-	JBH3F-	JB3F-	JBK3F-	4"S40 Pipe
	JBC4F-	JBS4F-	JBH4F-	JB4F-	JBK4F-	4"S40 Pipe
	JBC5F-	JBS5F-	JBH5F-	JB5F-	JBK5F-	5"S40 Pipe
	JBC6F-	JBS6F-	JBH6F-	JB6F-	JBK6F-	6"S40 Pipe
	JBC7F-	JBS7F-	JBH7F-	JB7F-	JBK7F-	6"S40 Pipe
	JBC8F-	JBS8F-	JBH8F-	JB8F-	JBK8F-	6"S40 Pipe
	JBC9F-	JBS9F-	JBH9F-	JB9F-	JBK9F-	8"S40 Pipe
	JXC1F-	JXS1F-	JXH1F-	JX1F-	JXK1F-	3"S40 Pipe
	JXC2F-	JXS2F-	JXH2F-	JX2F-	JXK2F-	4"S40 Pipe
	JXC3F-	JXS3F-	JXH3F-	JX3F-	JXK3F-	4"S40 Pipe
	JXC4F-	JXS4F-	JXH4F-	JX4F-	JXK4F-	4"S40 Pipe
	JXC5F-	JXS5F-	JXH5F-	JX5F-	JXK5F-	4"S40 Pipe
	JXC6F-	JXS6F-	JXH6F-	JX6F-	JXK6F-	6"S40 Pipe
	JXC7F-	JXS7F-	JXH7F-	JX7F-	JXK7F-	6"S40 Pipe
	JXC8F-	JXS8F-	JXH8F-	JX8F-	JXK8F-	6"S40 Pipe
	JXC9F-	JXS9F-	JXH9F-	JX9F-	JXK9F-	8"S40 Pipe

JS-100.07	JHC8F-	JHS8F-	JHH8F-	JHJ8F-	JHK8F-	5"S40 Pipe
	JHC9F-	JHS9F-	JHH9F-	JHJ9F-	JHK9F-	5"S80 Pipe
	JHC10F-	JHS10F-	JHH10F-	JHJ10F-	JHK10F-	6"S160 Pipe
	JHC11F-	JHS11F-	JHH11F-	JHJ11F-	JHK11F-	3"XXH Pipe
	JHC11F-	JHS11F-	JHH11F-	JHJ11F-	JHK11F-	6"XXH Pipe
	JHC12F-	JHS12F-	JHH12F-	JHJ12F-	JHK12F-	3"XXH Pipe
	JHC12F-	JHS12F-	JHH12F-	JHJ12F-	JHK12F-	6"XXH Pipe
	JHC13F-	JHS13F-	JHH13F-	JHJ13F-	JHK13F-	3"XXH Pipe
	JHC13F-	JHS13F-	JHH13F-	JHJ13F-	JHK13F-	6"XXH Pipe

JS-100.09	JHC1F-	JHS1F-	JHH1F-	JHJ1F-	JHK1F-	3"S40 Pipe
	JHC2F-	JHS2F-	JHH2F-	JHJ2F-	JHK2F-	4"S40 Pipe
	JHC3F-	JHS3F-	JHH3F-	JHJ3F-	JHK3F-	4"S40 Pipe
	JHC4F-	JHS4F-	JHH4F-	JHJ4F-	JHK4F-	4"S40 Pipe

JS-100.04	JBC1D-	JBS1D-	JBH1D-	JB1D-	JBK1D-	3"S40 Pipe
	JBC3D-	JBS3D-	JBH3D-	JB3D-	JBK3D-	3"S40 Pipe
	JBC4D-	JBS4D-	JBH4D-	JB4D-	JBK4D-	3"S40 Pipe
	JBC5D-	JBS5D-	JBH5D-	JB5D-	JBK5D-	3"S80 Pipe
	JBC6D-	JBS6D-	JBH6D-	JB6D-	JBK6D-	4"S160 Pipe
	JXC1D-	JXS1D-	JXH1D-	JX1D-	JXK1D-	3"S40 Pipe
	JXC3D-	JXS3D-	JXH3D-	JX3D-	JXK3D-	3"S40 Pipe
	JXC4D-	JXS4D-	JXH4D-	JX4D-	JXK4D-	3"S40 Pipe
	JXC5D-	JXS5D-	JXH5D-	JX5D-	JXK5D-	3"S80 Pipe
	JXC6D-	JXS6D-	JXH6D-	JX6D-	JXK6D-	4"S160 Pipe

JS-100.05	JDC1D-	JDS1D-	JDH1D-	JDX1D-	JDK1D-	N/A
	JDC2D-	JDS2D-	JDH2D-	JDX2D-	JDK2D-	N/A
	JDC3D-	JDS3D-	JDH3D-	JDX3D-	JDK3D-	N/A
	JDC8D-	JDS8D-	JDH8D-	JDX8D-	JDK8D-	N/A

See Catalogues for pressure-temperature ratings, and it may be further limited per the pressure rating of the mounting Flanges.



Technical Safety Authority
of Saskatchewan

Registration No. 0F7953.53

File No. 13685

Registered

Date: June 27, 2023

Expiry Date: May 15, 2033

Codes & Standards Compliance Office

mounted with ANSI Flange